Liebert[®] DSE[™] System with Pumped Refrigerant Economizer


Reliable, Low-Maintenance Pumped Refrigerant Economization Operation

- No water usage
- No water treatment
- No outside air contamination
- No dampers and louvers to maintain
- Automatic switchover to maximize economizer usage
- Lower refrigerant charge than traditional DX systems

Optimized Energy Efficiency With No Water


The Liebert[®] DSE[™] provides industry-leading thermal management efficiency, protection and insight. It uses no water for economization and its innovative design makes it up to 50% more efficient than legacy solutions. Designed with unparalleled expertise, it is part of Emerson's Thermal Management solutions that make your data center as dynamic as your business.

The Liebert DSE solution lets you simplify every aspect of thermal management



Calculated Savings for Data Centers by the Liebert DSE System, Compared to Water Economizers

The Liebert EconoPhase Pumped Refrigerant Economizer can save an average of **around 4 million gallons** of water annually compared to chilled water systems, while also reducing energy usage.





based on design conditions.

The World's Most Efficient DX System and No Water Usage

The air-cooled Liebert[®] DSE[™] offers water-free economization, a rapidly deployable configuration and advanced Liebert iCOM[™] thermal controls that let you optimize each unit and harmonize the operation of multiple units for temperature and airflow. A highly scalable and modular solution, it easily accommodates changing IT loads and is ideal for upgrading outdated or inefficient cooling systems.

Optimization Through Intelligent Controls

The Liebert DSE system has four components that work together to optimize the use of ambient temperatures for higher efficiency and to ensure higher protection of the thermal system. It provides fail-safe economization with full DX backup.

The hardware components are managed by the Liebert iCOM unit control which is integrated into the CRAC unit.

An optional capacitive buffer provides continuous control operation during power outages of up to 3 minutes. Continuous operation of controls allows for monitoring systems to remain active, and allows for faster restart times after power is restored.

Quick Specs

1.3 - 1.05


MECHANICAL PUE:

125-165kW: 47 ft²

CAPACITY: 55kW, 80kW,

85kW, 125kW, 150kW, 165kW

FOOTPRINT: 55-85kW: 24 ft²:



Liebert Indoor Unit

- Industry-best efficiency
- Digital scroll compressors match cooling to IT load
- EC plugs fans match airflow to IT server needs
- Electronic expansion valves

Liebert MC Condenser

- Most efficient air-cooled condenser for data centers
- Fan/Coil operating strategy increases part load efficiency
- Each fan is variable speed

Liebert iCOM Controls

- Protection from adverse events and system wear and tear
- Higher efficiency across the thermal system – up to 50% energy savings
- Insight for action into realtime data and trends for performance optimization

Liebert EconoPhase

- Integrated economizer control with automatic diagnostics
- Liebert iCOM monitoring of pump operation
- Automatic changeover on loss of free cooling
- Pump serviceable without loss of cooling

Emerson Network Power Global Headquarters

1050 Dearborn Drive P.O. Box 29186 Columbus, Ohio 43229 800 877 9222 Phone (U.S. & Canada Only) 614 888 0246 Phone (Outside U.S.) Contact@EmersonNetworkPower.com

EmersonNetworkPower.com

While every precaution has been taken to ensure accuracy and completeness in this literature, Liebert Corporation assumes no responsibility, and disclaims all liability for damages resulting from use of this information or for any errors or omissions. © 2015 Liebert Corporation. All rights reserved throughout the world. Specifications subject to change without notice. All names referred to are trademarks or registered trademarks of their respective owners. © Liebert is a registered trademark of the Liebert Corporation. Avocent is a trademark of Avocent Corporation. Emerson, Consider it Solved, Emerson Network Power and the Emerson Network Power logo are trademarks and service marks of Emerson Electric Co.